HUBBELL Wiring Device-Kellems

Locking Devices, Twist-Lock®, Watertight Safety Shroud, Receptacle, 30A 3-Phase Wye 120/208V AC, 4-Pole 5-Wire Grounding, L21-30R, Screw Terminal

By Hubbell Wiring Device-Kellems Catalog # HBL2810SW

Locking Devices, Twist-Lock®, Watertight Safety-Shroud®, Receptacle, 30A 3-Phase Wye 120/208V AC, 4-Pole 5-Wire Grounding, NEMA L21-30R, Screw Terminal, PBT housing and flange, Gray.



General

Application Heavy Duty Industrial Shrouded

Watertight

Catalog Number HBL2810SW

Color

EU RoHS Indicator Yes
Environmental Conditions Watertight

Horsepower - Maximum 3

Item Type 30A Watertight Safety-

Shroud® Receptacle
Material Thermoplastic

Material - Mounting Hardware Screw Mounting
Number Of Poles 4-Pole

Operating Temperature Maximum continuous 75°C and

minimum -40°C without Impact

Performance Electrical - Current Interrupting

- Certified for current interrupting at full rated

current

Electrical - Dielectric Voltage - Withstands 2,000V minimum

Environmental - Flammability -V2 or better per UL94/CSA

22.2 No.0.17

Environmental - Moisture Resistance - IP20 Suitability

Environmental - Operating Temperatures - Maximum Continuous 75°C Minimum -40°C (w/o impact)

Mechanical - Terminal

Accommodation - #16 AWG - #8 AWG solid or stranded

copper wire only.

Mechanical - Terminal Identification - Terminals identified in accordance with

UL 498

Type Receptacle UPC 783585232065

Dimensions

Dimensions 3.75 in x 3.75 in x 2.91 in
Display Size Standard Sized Product

Height 2.91 in
Length 3.75 in
Weight 0.65 lb
Width 3.75 in

Electrical Ratings

Amperage Rating 30 A

Connectivity Back Wired Screw Terminals

Current / Amperage Rating 30 A Current Rating 30 A

Dielectric Strength Withstands 2,000V minimum

Phase Three Phase

Voltage Rating 3 Phase WYE 120/208 VAC Voltage Rating Description 3-Phase Y 120/208 VAC

Conductor Related

Number Of Wires 5-Wire

Wire Size #16 AWG to #8 AWG

Certifications And Compliance

Industry Standard(s) UL Listed, CSA Certified To

Type 4, 4X And Type 12

Nema Rating L21-30R

Logistics

Carton Quantity 5

Product Assets

Catalogs - WDK Catalog Full 2024

Warranty - Industrial & Commercial Products



©2024 Hubbell Incorporated. All rights reserved WDK_MX-HBL2810SW-SPEC-EN | REV 6/2024