HUBBELL Wiring Device-Kellems

Locking Devices, Twist-Lock®, Industrial, Flanged Inlet, 30A 3-Phase Wye 277/480V AC, 4-Pole 5-Wire Grounding, L22-30P, Screw Terminal, White

By Hubbell Wiring Device-Kellems Catalog # HBL2825

Locking Devices, Twist-Lock®, Industrial, Flanged Inlet, 30A 3-Phase Wye 277/480V AC, 4-Pole 5-Wire Grounding, L22-30P, Screw Terminal, White



General

Application Catalog Number Color

EU RoHS Indicator Environmental Conditions

Insulation Item Type

Material Material - Mounting Hardware Number Of Poles Operating Temperature

Performance

Type UPC

Dimensions

Dimensions Display Size Height Length Weight Width 3.06 in x 3.06 in x 2.27 in Standard Sized Product 2.27 in 3.06 in 0.3 lb 3.06 in

Extra Heavy Duty Industrial

Indoor Dry Unless Protected By

Maximum continuous 75°C and

minimum -40°C without Impact

Electrical - Current Interrupting

Electrical - Dielectric Voltage -Withstands 2,000V minimum Environmental - Flammability -HB or better per UL94/CSA

- Certified for current

interrupting at full rated

Environmental - Moisture Resistance - IP20 Suitability Environmental - Operating Temperatures - Maximum Continuous 75°C. Minimum -40°C (w/o impact) Mechanical - Terminal Accommodation - #16 AWG -#8 AWG solid or stranded

30A Grounding Insulgrip®

Additional Means

Insulated Body

Flanged Inlet

Screw Mounting

Nylon

4-Pole

current

22.2 No.0.17

copper wire only. Mechanical - Terminal Identification - Terminals identified in accordance with

UL 500

Flanged Inlet

783585039718

HBL2825

White

Blanc

Yes

Electrical Ratings

Amperage Rating Connectivity Current / Amperage Rating Current Rating Dielectric Strength Phase Voltage Rating Voltage Rating Description 30 A Back Wired Screw Terminals 30 A 30 A Withstands 2,000V minimum 3 Phase WYE 3 Phase WYE 277/480 VAC 3 Phase WYE 277/480 VAC

Conductor Related

Number Of Wires5-WireWire Size#16 AWG to #8 AWG

Certifications And Compliance


Industry Standard(s)	Certified to CSA C22.2 No.42
	Fed.Spec. W-C-596
	Listed to UL 498
Nema Rating	L22-30P
Logistics	
Carton Quantity	1

154

Product Assets

Pallet Quantity

Catalogs - WDK Catalog Full 2024 Warranty - Industrial & Commercial Products



©2024 Hubbell Incorporated. All rights reserved WDK_MX-HBL2825-SPEC-EN | REV 6/2024