

HUBBELL
Wiring Device-Kellems

Heavy Duty Products, IEC Pin and Sleeve Devices, Industrial Grade, Female, Mechanically Interlocked Receptacle, 100A 3-Phase Delta 250V AC,

By Hubbell Wiring Device-Kellems
Catalog # [HBL4100MI9W](#)

Heavy Duty Products, IEC Pin and Sleeve Devices, Industrial Grade, Female, Mechanically Interlocked Receptacle, 100A 3-Phase Delta 250V AC, 3-Pole 4-Wire Grounding, Terminal Screws



General

Application	High Ampacity Watertight Connections
Catalog Number	HBL4100MI9W
Color	Blue
EU RoHS Indicator	No
Environmental Conditions	Watertight
Item Type	Mechanically Interlocked Single
Material	Thermoplastic
Material - Mounting Hardware	Screw Mounting
Number Of Poles	3-Pole
Performance	Electrical - Current Interrupting - Certified for current interrupting at full rated current and voltage
	Electrical - Dielectric Voltage - Withstands 3,000V AC Min
	Electrical - Max. Working Voltage - 600V AC RMS
	Environmental - Flammability - UL94-5VA and V-0 Classification
	Environmental - Ingress Protection - IP67 Suitability
	Environmental - Moisture Resistance - Outdoor - 4X (Watertight, Washdown)
	Indoor - 12 (Dust-tight, Falling Dirt and Noncorrosive Liquids).
	Environmental - Operating Temperature - Max. Continuous +75°C
	Min. Continuous -40°C
	Mechanical - Impact Resistance - In accordance with UL 746C
	Mechanical - Mounting - External adjustable feet
	Mechanical - Product Identification - Identification and ratings are part of the external label and molded into the receptacle mount
	Mechanical - Terminal Identification - In accordance with UL, CSA and international conventions
Series	Non-Fused
Style	Standard Service
Type	Mechanical Interlock
UPC	783585405896

Dimensions

Display Size	Standard Sized Product
--------------	------------------------

Electrical Ratings

Amperage Rating	100 A
Connectivity	Pressure Terminal Screws
Current / Amperage Rating	100 A
Current Rating	100 A
Phase	Three Phase
Voltage Rating	3 Phase 240 VAC
Voltage Rating Description	3 Phase 240 VAC
Wattage	25000

Conductor Related

Number Of Wires	4-Wire
Wire Size	#3 AWG to #1/0 AWG

Certifications And Compliance

Industry Standard(s)	UL Listed
Nema Rating	Non-NEMA

Logistics

Carton Quantity	1
-----------------	---

Product Assets

[Catalogs - WDK Catalog Full 2024](#)
[Warranty - Industrial & Commercial Products](#)



A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved
WDK_MX-HBL4100M19W-SPEC-EN | REV 6/2024