Heavy Duty Products, IEC Pin and **Sleeve Devices, Industrial Grade,** Female, Receptacle, 60A 3-Phase Wye 347/600V AC, Watertight

By Hubbell Wiring Device-Kellems Catalog # HBL560R5W

Heavy Duty Products, IEC Pin and Sleeve Devices, Industrial Grade, Female, Receptacle, 60A 3-Phase Wye 347/600V AC, 4-Pole 5-Wire Grounding, Terminal Screws, Black, Watertight

Application

High Ampacity Watertight Connections

Performance

- Electrical Current Interrupting Certified for current interrupting at full rated current
- Electrical Dielectric Voltage Withstand 3000V AC
- Electrical Max. Working Voltage 600V RMS
- Environmental Flammability HB or better per UL 94 or CSA C22.2 No. 0.17
- Environmental Ingress Protection IP67 Suitability
- Environmental Moisture Resistance Watertight per IEC 60309-1
- Environmental Operating Temperatures Maximum Continuous 75°C
- Minimum 40°C w/o impact
- Mechanical Impact Resistance Per CSA C22.2 No. 182.1 / UL1682
- Mechanical Product Identification Ratings are a permanent part of the device housing
- Mechanical Terminal Identification Terminals identified in accordance with North American and IEC conventions

General

Catalog Number HBL560R5W Color Black EU RoHS Indicator Yes **Environmental Conditions** Item Type Material Material - Mounting Hardware Number Of Poles 4-Pole Series Specifications

Watertight Single Flanged Thermoplastic Screw Mounting HBL Heavy Duty • Cover - Reinforced

- Thermoplastic Polyester Cover Screw - Nickel-plated
- brass



٠	Gaskets	- Solid	Neopr	rene

- Housing Zytel® 101 Nylon
- Mounting Flange Zytel® 101 Nylon Standard Service

Watertight Receptacle 783585405711

Standard Sized Product

60 A

5-Wire

10

Amperage Rating Connectivity Current / Amperage Rating Current Rating Phase

Pressure Terminal Screws 60 A 60 A Three Phase 3 Phase Y 347/600 VAC 3 Phase Y 347/600 VAC 36000

Conductor Related

Voltage Rating Description

Number Of Wires Wire Size

Voltage Rating

Wattage

Certifications And Compliance

Industry Standard(s) Nema Rating

Listed To Standard UL1682 Non-NFMA

#8 AWG to #2 AWG

Logistics

Style

Type

UPC.

Dimensions

Display Size

Electrical Ratings

Carton Quantity

Product Assets

Catalogs - WDK Catalog Full 2024 Specifications - HBL560R5W Warranty - Industrial & Commercial Products



A Hubbell brand

©2025 Hubbell Incorporated. All rights reserved WDK_MX-HBL560R5W-SPEC-EN | REV 1/2025