# HUBBELL Wiring Device-Kellems

# Heavy Duty Products, Single Pole Devices, Industrial Grade, Female Receptacle, 300/400A 600V AC/DC, Single Conductor, Threaded Stud, Black

By Hubbell Wiring Device-Kellems Catalog # HBLFRSBK

Heavy Duty Products, Single Pole Devices, Industrial Grade, Female Receptacle, 300/400A 600V AC/DC, Single Conductor, Threaded Stud. Black

## **Features**

- · Industrial Grade
- Female Receptacle
- 300/400A 600V AC/DC

#### **Application**

**High Ampacity Connections** 

### Performance

- Electrical Amperage Rating 400A Maximum
- Electrical Voltage Ratings 600V AC Maximum
- 250V DC Maximum
- Environmental Flammability HB per UL94 or CSA 22.2. 0.17
- Mechanical Product Identification Ratings are a permanent part of device
- Mechanical Terminal Accommodation #4 to 4/0 AWG

#### General

Catalog Number HBLFRSBK

Color Black

EU RoHS Indicator Yes

Environmental Conditions Indoor Dry Unless Protected By Additional Means

Item Type Panel Mount Receptacle

Material Hounting Hardware Threaded Thru-Hole

Number Of Poles 1-Pole Series Series 16

Series Specifications

 Base Compound -Thermoplastic Elastomer

- Contact Material Brass
- Mounting Hole 4x Ø .20"
- Retaining Screw Material -
- Termination 1/2-13 UNC-2A Threaded Stud



Style Stud Type, Through Hole

Mounting, Female

 Type
 Receptacle

 UPC
 783585112657

#### **Dimensions**

Display Size Standard Sized Product

# **Electrical Ratings**

Amperage Rating 400 A
Connectivity Stud Type
Current / Amperage Rating 400 A
Current Rating 400 A
Phase Single Phase
Voltage Rating Description 600V AC/DC
Wattage 240000

#### **Conductor Related**

Number Of Wires 1-Wire

Wire Size #4 AWG to #4/0 AWG

#### **Certifications And Compliance**

Industry Standard(s)

 National Electric Code (NEC), ANSI/NFPA 70

UL and cUL Listed

• UL Enclosure Types 3R, 4X,

12

Nema Rating Non-NEMA

#### Logistics

Carton Quantity 25
Pallet Quantity 1400

# **Product Assets**

Catalogs - WDK Catalog Full 2024 Literature - Single Pole Devices



©2024 Hubbell Incorporated. All rights reserved WDK\_MX-HBLFRSBK-SPEC-EN | REV 10/2024